UNITED STATES MISSION 70 THE UNllED NATIONS
NEW YORK
January 11, 2018
The United States Mission to the United Nations presents its compliments
The th03 0 11.5 311.7233 55

Peer-reviewed Scientific Studies on Impacts of Ocean Noise on Living Marine Resources (post 2007) Submitted by the United States
January 2017

General
Barber, J.R., Crooks, K.R. and Fristrup, K.M. (20 I 0). The costs of chronic noise exposure for terrestrial organisms. Trends· in Ecology & Evolution 25(3): 180-189.
http://doi.or!.!/l 0. 10 I 6!i.tree.2009.08.002

Christiansen, L & Lusseau, D. (2015). Linking behavior to vital rates to

EvoTd (to)Tj ET BT 0855 Tc 10.0249.0190 0 96.155 68marinTm (exposte2)Tj 0.0437 Tc283 0690 0 96.155 68ecosystems: (Evo(vital)Tj 088369 0 755 TcTc 0.ntui4 Tms4 0 Td (://)Tj 0.4012625 Tc 0,m (25havior)Tj 0515 g -0.3.255 g 0analysisTm (Lustrial)Tj 0.0)Tj 10.342. 0 0 96.155 68and84 Tm (0.0443 g 0.0487 Tc >>.83 0 0 96.155 68implica4 Tm."m (Lustrial)Tj 207T.0796 0 56!i7T.0 0 96.155 68MarinTm (expo (://)Tj 0194.0437 Tc 15 0. 528._24155 68Ecologv717 0 Td (.)Tj ET BT /Suspect <</Conf 0 >>BDC 0.0)Tj 0.0437 Tc 55 05 028._24155 68Progress (i.or!.!/l)Tj EMC /Suspect <</Conf 0ial)Tj 004 . (2015). ((20153225 g 74)T4 T.86e 01.31.2212 T 92284 _ 1 0 ! . ! e s t 0 > > B D E M C . 4 4 5 5 g 4 0 1 . 3 1 . 2 2 1 2 T w i l d l i f e : 2 2 8 4 _ 1 0 ! 4 ((2 4 . 0 i s BT .7 44j415313079.1 22/Su 0analysAngliss B42715452 0te,2284 (2015).

Kunc. H.P., G. N. Lyons. J. D. Sigwart. K. E. McLaughlin and J. D. Houghton (2014). "Anthropogenic noise affects behavior

Aschehoug,3838gT49m (26g 258327614vol 0.0eTm4.94.5T 7446).

D1492223.626712 6.167 3276and222 22P80364.1679..15.1.1656 Td (D1492242.526712 6.167 3276M.A55.61281E.)TjD Td (D149227 .016712 6.167 3276Wering1 T.176f 09..15.)4214 Td (D1492281430t8 2 6.167 3276aleg.5wa36 T.17014831E.)TjD Td (D1492297.546712 6.167 3276(2325)55.61281E. 3449m365 g 0".5wa3633364..80364.11E 540264 Td (D14923 ..18,8) 6.167 3276Ime4.9rrop50.803eT595.)Tj(AT T.17014 . 86,8) 6.167 3276pacts2opog803eT T5.24324Shannon 0 T(05434,8) 6.167 3276ofg.5wa364.5T5. Aschehoug,332363351181.457 3276P.thropogenic po18g1 T.176enic60i12760362995. 4pogT8.80362T5.

31395. T.176f 04795. T.176f 0 2T5. AT T.17014ã346841109.457 3276callingg.5waogenic po18g103815.

DeRuiter SL. Southall BL. Calambokidis J, et al. (2013) First direct measurements of behaviour
responses by Cuvier's beaked whales to mid-frequency active sonar. Biology Letters 9, doi:
l 0.1098/rsbl.2013.0223

DeRuiter, S. L., Langrock, R., Skirbutas, T., Friedlaender, A. S., Goldbogen, , Calambokidis, be369.0951 g 0.09ct <r0914 66s-8781 g 0.0 J., & Southall. B. L. (2017). A multivariate mixed Markov bluewhale and
ponses to sound . Annals ofApplied Statistics, 11, 362- 392.

Falcone EA, Schorr GS, Wanvood SL, DeRuiter SL, Zerbini AN, Andrews RD, RP, Moretti
Dn9gy 2 0 1 7 Diving behaviour of Cuvier's beaked whales exposed to two types of military sonar9gy R.
Soct <r0914 66s- Tc 1.513 0 Td (.)Tj EMC ET BT 0.435 g 0.0153 Tc 10.8 0 0 10.8 136.6608 584.9484 Tm

Moretti D. Thomas L, Marques T. Harwood J, Dilley A. Neales B, Shaffer J. McCa11hy E, New L, Jarvis S, et al. (2014) A risk function for behavioral disruption of Blainville's beaked whales
(Mesoplodon demdrostris) from mid-frequency active sonar. PLoS One. 9, e85064. (10.1371/joumal.pone.0085064)

Southall, B. L., et al., Marine mammal behavioral response studies in Southern California: advances in technology and experimental methods. Marine Technology Society Journal, 2012. 46(4): p. 48-
59.

SouthalL B.L., Nowacek, D.P .. Miller, P.J.O. and Tyack, P.L. (2016). Experimental field studies to measure behavioral responses of cetaceans to sonar. Endangered Species Research JI: 293-3 15. https://doi.org/ l 0.3354/esr00764

Stimpe1i, A. K .. DeRuiter, S. L., Southall, B. L., Moretti, D. J., Falcone, E. A., Goldbogen, J. A., ... Calambokidis, J. A. (2014). Acoustic and foraging behaviour of a tagged Baird's beaked whale (Berardius bairdiz) exposed to simulated sonar. Scientific Reports. 4, 703 I.

Tougaard, J., Henriksen, 0. D., & Miller, L. A. (2009). Underwater noise from three types of offshore wind turbines: Estimation of impact zones for harbor porpoises and harbor seals. Journal of the Acoustical Society o.f America, 125, 3766- 3773.

Tyack PL, Zimmer WMX, Moretti D, et al. (2011). Beaked whales respond to simulated and actual navy sonar. PLoS One, 6, e17009. doi: 10.1371/joumal.pone.0017009

Visser, F., Cure, C., Kvadsheim, P.H., Lam, F. P.A., Tyack, P. L.. & Miller, P. J. 0. (2016). Disturbance-specific social responses in long-finned pilot whales, Globicephala me/as. Scientffic
Reports, 6. 28641.

Hearing
Branstetter, B.K., J. St. Leger, D. Acton, J. Stewart, D. Houser, J.J. Finneran, and K. Jenkins. 2017. Killer
whale (Orcinus orca) behavioral audiograms. The Journal of the Acoustical Society of America
141 :2387-2398 .. http://dx.doi.ond I 0.1 12 J/ 1.4979116.

Cranford, T.W., M. Amundin, and P. Krysl (2010). A New Acoustic portal into the Odontocete Ear and Co

Vibrational Analysis of the Tympanoperiotic Com 96 P T

Kastelein, R.A., L. Helder-Hoek, and S. Van de Voorde. 2017. Effects of exposure to sonar playback sounds (3.5-4.1 kHz) on harbor porpoise (Phocoena phocoena) hearing. The Journal of the Acoustical Society of America 142(4): 1965- 1975. httns

Population Consequences Of Disturbance (PCOD) I Cumulative Ejjec/s
Costa, D. P. (2012). A Bioenergetics Approach to Developing the PCAD Model. The Effects of Noise on Aquatic Life. Advances in Experimental Medicine and Biology A. N. Popper and A. Hawkins, Springer Science+Business Media: 423-426.

Costa, D. P., L. Schwarz, P. Robinson, R. S. Schick, P. A. Morris, R. Condit, D. E. Crocker, and A. M. Kilpatrick. 2016. A Bioenergetics Approach to Understanding the Population Consequences of Disturbance: Elephant Seals as a .6297op8 0 10.2 294.72 </Coto 184 Tm

2500.459 g 0.04 0 T90.2 0 0 10.2 2 2326.18 651.6284 T 0 to L27Tm j

in

LEMC74.34 1017 88 0 u1.t088 0 u1.t088 0 u1.t088 0 u1.t1atrick. a A E.1684 651.69 A in (in)5.2it, A new651to A I (in)5.2iEMC ET BT 0.054 T9055ta639. ET BT - 6366 62atio32ing A "Us6 T.606 0 g 00700>>9.0684 TTj -5445t, A models.606 0 g 00700>>9.0(48(i)425475 g 0.044 114.01 245.68 T2 (A tom (LE3452852to)4225t,)Tj -d126.52 245.68 T2 (A investigatem (LE343952to)T52to)422685 g 0.044 176.838245.68 T2 (A the651to)Tj 59 g 03782to)4225t, LE3454221o9T245.68 T2 (A ofm0e6ta334639.m 276to)4225t,.38 T2 (A ofm0e6ta334639.m 276to)4225t,.38 T2 (A(A J3t,)Tj0- .425ta33434.651to)Tj 59 lm8ET BT 0.054 055ta63425t,.E9.0avalm87253.606 0 A LEMC7444684 Tm8468m le12.6256 Tm (LEMC748.2al-1.098m le12gro.77."7SeT 0(A. 3 0 101268m le12Marinm (a)Tj 3)Tj 03./Susm le12Ecology7SeT 0(A.5 0 10.2a684 Tm (575grc4.0.0207 Tcit,555 30 0 10.2 315.03 604d)T3934 1017 88 0 u1.t083riedsen4)5.2i459 g Sert1atrick4 0 Td (43it,)Tj -,15 Td 1017 77 ont <<6hwa4.71n4)5.2i459 g 478:651to A34n4 BT44 T2 (A Cont ,73t,)Tj -´ Tm (48(i9.97430 0 10.2ex110.3n4 BT44 T2 (A D1.459 g 0.05 9i.40.317 88 0 10.2Assess9.0684 Tsta31910.2I6518m)Tj 0Ras8rup6n4 BT44 T2 (A Pnf (in)5.2it,)Tj 63952to)Tj634 1017 88 0 u1.t082Di. g 0 BT44 T2 (A Harwood438.c 1017 88 0 1017 77 ont <<6h25B32 0 BT44 T2 (A J3t,)Tj0-´ Tm (48(i1.t09617 ont <<6h256.a680 BT44 T2 (A .,73t,)Tj -µ.322 30.3a84 651.6m 0432631 4n4 BT44 T2 (A KrausTj E08,)Tj EMC ET BT 0.054 T9055ta639.0684 Tsta10)Tj 0.396 g 0.044 096.9726n4 BT44 T2 (A Snf (in)5.2it,)Tj 605 30459 g 0.0375u/Co5752 54.774 BT44 T2 (A MorettiTj E08,)Tj EMC ET BT 0.054 T9055ta639.3952to)Tj634 1017 88 0 u1.t083.)2876n4 BT44 T2 (A D1f (in)5.2it,)Tj 6sta59.3459 g 0.05 5.17 575ua5 0 6.a3n4 BT44 T2 (A Newf (in 4 Tm (48(i1.t1073459 g 183r0722 0 BT44 T2 (A L.lpatri 575ua518m)Tj 0Ra406A34n4 BT44 T2 (A F3t,)Tj0- 0RTsta33434.51to)Tj 59 g 2368m le12Tj E08,)Tj EMC ET BT 0.054 T9055ta639..69.2I651.6256 Tm (Schw2sen4n4 BT44 T2 (A S.03ckf (in)5.2it,)Tj4 Tm (48(i9.89878m)Tj 0Ra456.6n4 BT44 T2 (A R1.459 g 0.05 9i.40.317 88 0 10.2Assess /Sus45 575ua518m)Tj 0Ra469 (in BT44 T2 (A Snf (in)5.2iEMC ET BT 0.054 T9055ta639..ET 4 1017 88 0 u1.t088 0n4 BT44 T2 (A S.0warzf (in)5.2it,)Tj - 6266 62ation651.6256 30 0 10.28A)Tj. 30 BT44 A survivalm (LE345422to -17945t,3434andm (LE343952to)T3542to).9045t,3434reproduction651to 48(i)1.7645t, A beaked651to A 8(7):651to A e687253.606 0

Stress Response
Atkinson, S .. Crocker, D., Houser, D., Mashburn, K., 2015. Stress physiology in marine mammals: how well do they fit the terrestrial model? Journal of Comparative Physiology B, Biochemical,
Systemic, and Environmental Physiology 185, 463-486.

Hunt, K.E., Moore, M.J., Rolland, R.M., Kellar, N.M., Hall, A.J., Kershaw, J., Raverty, S.A., Davis, C.E., Yeates, L.C., Fauquier, D.A. and Rowles, T.K., 2013. Overcoming the challenges of studying conservation

Rolland,047

Other
Azzara, A.J., von Zharen. W.M, and Newcomb, J.J. (2013). Mixed-methods analytic approach for determining potential impacts of vessel noise on sperm whale click behavior. The Journal of the Acoustical Society of America 134 (6), 4566-4574

Dahne, M., J. Tougaard, J. Carstensen, A. Rose and J. Nabe-Nielsen (2017). "Bubble curtains attenuate noise from offshore wind farm construction and reduce temporary habitat loss for harbour
porpoises." Marine EcoJogv Progress Series 580: 221-23 7.

Erbe, C., Reichmuth, C., Cunningham, K., Lucke, K., Dooling, R. (20 16). Communication masking in marine mammals: A review and research strategy. Marine Pollution Bulletin 103(1- 2): 15- 38. 1.mQs://doi.org/

Casper, B. M., A. N. Popper, F. Matthews, T. J. Carlson and M. B. Halvorsen (2012). "Recovery of barotrauma injuries in Chinook salmon, Oncorhynchus tshawytscha from exposure to pile driving sound." PLoS One 7(6): e39593.

Casper, B. M., M. E. Smith, M. B. Halvorsen, H. Sun, T. J. Carlson and A. N. Popper (2013). "Effects of exposure to pile driving sounds on fish inner ear tissues." Comp Biochem Physiol A Mo! lnt§fil
Phvsiol 166(2): 352-360.

Celi, M., F. Filiciotto, G. Maricchiolo, L. Genovese, E. M. Quinci, V. Maccan-one, S. Mazzola, M. Vazzana and G. Buscaino (2016). "Vessel noise pollution as a human threat to fish: assessment of
the stress response in gilthead sea bream (Sparus aurata, Linnaeus 1758)." Fish Physiol Biochem
42(2): 63 1-641.

Celi, M., F. Filiciotto, M. Vazzana, V. Arizza, V. Maccarrone, M. Ceraulo, S. Mazzola and G. Buscaino (2015). "Shipping noise affecting immune responses of European spiny lobster
(Palinuruselephas)." Canadian Journal of Zoology 93(2): 113-1 21.

Codarin, A., L. E. Wysocki, F. Ladich and M. Picciulin (2009). "Effects of ambient and boat noise on hearing and communication in three fish species living in a marine protected area (M iramare,
Italy)." Mar Pollut Bull 58(12): 1880- I 887.

Crovo, J. A., M. T. Mendonca, D. E. Holt and C. E. Johnston (2015). "Stress and Auditory Responses of the Otophysan Fish, Cyprinella venusta, to Road Traffic Noise." PLoS One 10(9):

Halvorsen, M. B., B. M. Casper, C. M. Woodley, T. J. Carlson and A. N. Popper(2012). "Threshold for onset of injury in Chinook salmon from exposure to

Nedelec, S. L., A. N. Radford. S. D. Simpson, B. Nedelec, D. Lecchini and S. C. Mills (2014). "Anthropogenic noise playback impairs embryonic development and increases mortality in a

Samson. J.E., T. A. Mooney, S. W. Gussekloo and R. T. Hanlon (2014). "Graded behavioral responses and habituation to sound in the common cuttlefish Sepia officinalis." J Exp Biol 217(Pt 24): 4347-4355.

Shafiei Sabet, S., K. Wesdorp, J. Campbell, P. Snelderwaard and H. Slabbekoorn (2016). "Behavioural responses to sound exposure in captivity by two fish species with different hearing ability."
Animal Behaviour 116: 1-I l.

Sierra-Flores, R., T. Atack, H. Migaud and A. Davie (2015). "Stress response to anthropogenic noise in Atlantic cod Gadus morhua L." Aguacultural Engineering 67: 67-76.

Simpson, S. D .. J. Purser and A. N. Radford (2015). "Anthropogenic noise compromises antipredator behaviour in European eels." Glob Chang Biol 21(2): 586-593.

Simpson, S.D., Radford, A.N., Nedelec, S.L., Ferrari, M.C.O., Chivers, D.P., McCormick. M.J. and Meekan, M.G. (2016). Anthropogenic noise increases fish mortality by predation. Nature Communications 7. http://doi.org/ I 0. 1038/ncomms I 0544

Slabbekoorn, H., Bouton, N., van Opzeeland, I., Coers. A., ten Cate, C. and Popper, A.N. (20 I 0). A noisy spring: the impact of globally rising underwater sound

Wysocki, L. E. and F. Ladich (2005). "Hearing in Fishes under Noise Conditions." Journal of the Association for Research in OtolarvngoJogv 6(I): 28-36.

Turtles
Dow Piniak W.E., Eckert, S.A., Harms, C.A. and Stringer, E. M. (2012). Underwater hearing sensitivity of the leatherback sea turtle (Dermochelys coriacea): Assessi ng the potential effect of
anthropogenic noise. U.S. Dept. of the Interior, Bureau of Ocean Energy Management,
Headquarters, Herndon, VA. OCS Study BOEM 20 I 2-0 I I 56. 3 5pp.
https://www.nrc.gov/docs/ML 1434/ML l 4345A57 I .pdf